

## Design of Defect and Metallic Silver in Silver Phosphate Photocatalyst Using the Hydroxyapatite and Glucose

<b>Title</b>	Design of Defect and Metallic Silver in Silver Phosphate Photocatalyst Using the Hydroxyapatite and Glucose
<b>Author Order</b>	4 of 5
<b>Accreditation</b>	1
<b>Abstract</b>	The defect and metallic silver (Ag) in silver phosphate (Ag <sub>3</sub> PO <sub>4</sub> ) photocatalyst were successfully generated using hydroxyapatite (HA) and glucose. Two steps of synthesis were done in these experiments. Firstly, the Ag/HA powder was prepared by reacting AgNO <sub>3</sub> and HA, followed by the addition of a glucose solution. Secondly, the suspension of Ag/HA was reacted with AgNO <sub>3</sub> aqueous solution. The yellow product of Ag/Ag <sub>3</sub> PO <sub>4</sub> photocatalyst was produced. The products were characterized using X-Ray Diffraction (XRD), Diffuse Reflectance Spectroscopy (DRS), Scanning Electron Microscope (SEM), Brunauer-Emmett-Teller (BET) and X-ray Photoelectron Spectroscopy (XPS). The decreased ratio of O/Ag and metallic Ag formation observed by the XPS was detected as the possible defect and Ag-doping in the photocatalyst. The enhanced photocatalytic activity might be caused by the oxygen vacancy and metallic Ag in Ag <sub>3</sub> PO <sub>4</sub> that enables the separation of photo-generated electrons and holes.
<b>Publisher Name</b>	Universitas Gadjah Mada
<b>Publish Date</b>	2020-07-17
<b>Publish Year</b>	2020
<b>Doi</b>	DOI: 10.22146/ijc.48647
<b>Citation</b>	
<b>Source</b>	Indonesian Journal of Chemistry
<b>Source Issue</b>	Vol 20, No 6 (2020)
<b>Source Page</b>	1441-1447
<b>Url</b>	<a href="https://journal.ugm.ac.id/ijc/article/downloadSuppFile/48647/9024">https://journal.ugm.ac.id/ijc/article/downloadSuppFile/48647/9024</a>
<b>Author</b>	ROY ANDREAS, S.Si, M.Si, Ph.D