

POTENSI KANDUNGAN PIGMEN KLOROFIL a DAN b BEBERAPA RUMPUT LAUT GENUS Gracilaria: OPTIMALISASI KANDUNGAN KARBOHIDRAT

Title	POTENSI KANDUNGAN PIGMEN KLOROFIL a DAN b BEBERAPA RUMPUT LAUT GENUS Gracilaria: OPTIMALISASI KANDUNGAN KARBOHIDRAT
Author Order	of
Accreditation	
Abstract	<p>Response pigment and ecological is major factor of photosynthesis. Quantity of chlorophyll a,b are not same in Gracilaria, though in one genus. Difference fluctuation ecological conditions on waters; (Station 1): estuaries, (Station 2): coastal, (Station 3): 100m from the shoreline, based on literature study will affect the rate ofÂ,Â photosynthesis. This research aims Â,Â need to measure of quantitatively pigments (chlorophyll a,b) and carbohydrate to know the difference. Method by purposive random sampling; chlorophyll a,b using UV-Vis spectrophotometer; carbohydrate with analysis by difference; also controlÂ,Â physical and chemical parameters of waters. Results show the chlorophyll a, b and carbohydrates in G. verrucosa (163.58 Å,Å± 8.90mg /L;79.32 Å,Å± 5.53 mg /L; 37.19 Å,Å± 1.50%); G. gigas (128.01 Å,Å± 7.2 mg /L;117.76 Å,Å± 5.85mg /L; 44.48 Å,Å± 0.90%) and G. salicornia (100.36 Å,Å± 23.35mg/L; 93.73 Å,Å± 11.59mg/L; 36.94 Å,Å± 0.72%). The highest correlation between pigments (chlorophyll b) with the formation of carbohydrate in G. gigas ($r = 0.991$). Range of water quality measured during the study still the threshold that can be tolerated Gracilaria, found only high phosphorus content above the threshold that 1.935 to 2.517 mg/ L.Key words: G. verrucosa, G. gigas, G. salicornia, Chlorophyll a, b , Carbohydrate</p>
Publisher Name	Fakultas Perikanan Dan Ilmu Kelautan Universitas Borneo Tarakan
Publish Date	2016-04-06
Publish Year	2016
Doi	DOI: 10.35334/harpodon.v9i1.56
Citation	
Source	Jurnal Harpodon Borneo
Source Issue	Vol 9, No 1 (2016): Volume 9 No 1 April 2016
Source Page	
Url	http://jurnal.borneo.ac.id/index.php/harpodon/article/view/56/37
Author	Dr ROSE DEWI, M.Si