

EVALUASI PENYESUAIAN TARIF DASAR PADA PERUSAHAAN DAERAH AIR MINUM (PDAM) KABUPATEN PURBALINGGA

Title	EVALUASI PENYESUAIAN TARIF DASAR PADA PERUSAHAAN DAERAH AIR MINUM (PDAM) KABUPATEN PURBALINGGA
Author Order	1 of 1
Accreditation	
Abstract	Conditions of macroeconomic, increase of equipment/piping price, chemicals, generators operating costs and tax of groundwater affect to operational costs PDAM Kabupaten Purbalingga, hence the need for tariff adjustments. Analysis tools used in this study is the Break Even Point (BEP) in accordance with the Permendagri Number 02 Year 1998 About the Guidelines on Water Tariff Determination The Regional Water Company. Based on the analysis results that basic tariff PDAM Purbalingga is Rp. 1261 per m ³ , so that PDAM Kabupaten Purbalingga needs to adjust rates by taking into account the level of ability to pay from their customers. Tariff adjustments must be accompanied by an increase in service to customers, thus increasing customer sacrifices will be balanced by an increase in the value (service) from PDAM Kabupaten Purbalingga.
Publisher Name	Faculty of Economics and Business Universitas Jenderal Soedirman
Publish Date	2018-04-05
Publish Year	2010
Doi	
Citation	
Source	Performance: Jurnal Personalia, Financial, Operasional, Marketing dan Sistem Informasi
Source Issue	Vol 12 No 1 (2010): Performance
Source Page	79-102
Url	http://jos.unsoed.ac.id/index.php/performance/article/view/785/583
Author	Dr SULIYANTO, S.E., M.M.