

Effect of Cr (VI) and bisphenol A on the formation of 8-hydroxy-2'-deoxyguanosine DNA adduct from 2'-deoxyguanosine through a Fenton-like reaction

<b>Title</b>	Effect of Cr (VI) and bisphenol A on the formation of 8-hydroxy-2'-deoxyguanosine DNA adduct from 2'-deoxyguanosine through a Fenton-like reaction
<b>Abstract</b>	
<b>Authors</b>	E Kusumowardani, S Handayani, IC Dani, R Bakri
<b>Journal Name</b>	IOP Conference Series: Materials Science and Engineering 496 (1), 012046, 2019
<b>Publish Year</b>	2019
<b>Citation</b>	(not set)
<b>Url</b>	<a (vi)="" 2'-deoxyguanosine="" 8-hydroxy-2'-deoxyguanosine="" a="" adduct="" and="" bisphenol="" cr="" dna="" effect="" fenton-like="" formation="" from="" href="https://scholar.google.com/scholar?q=+intitle:" of="" on="" reaction"="" the="" through="">https://scholar.google.com/scholar?q=+intitle:"Effect of Cr (VI) and bisphenol A on the formation of 8-hydroxy-2'-deoxyguanosine DNA adduct from 2'-deoxyguanosine through a Fenton-like reaction"</a>
<b>Author</b>	Dr SANTI NUR HANDAYANI, S.Si, M.Si