

The difference in microleakage levels of nanohybrid composite resin using eighth-generation ethanol and isopropanol solvent bonding materials under moist and dry conditions (inÂ ...

<b>Title</b>	The difference in microleakage levels of nanohybrid composite resin using eighth-generation ethanol and isopropanol solvent bonding materials under moist and dry conditions (inÂ #8230;
<b>Abstract</b>	
<b>Authors</b>	I Dwiandhono, SW Logamarta, T Dhanurdara
<b>Journal Name</b>	Dental Journal (Majalah Kedokteran Gigi) 52 (1), 41-44
<b>Publish Year</b>	2019
<b>Citation</b>	1
<b>Url</b>	<a #8230;"="" (in="" and="" bonding="" composite="" conditions="" difference="" dry="" eighth-generation="" ethanol="" href="https://scholar.google.com/scholar?q=+intitle:" in="" isopropanol="" levels="" materials="" microleakage="" moist="" nanohybrid="" of="" resin="" solvent="" the="" under="" using="">https://scholar.google.com/scholar?q=+intitle:"The difference in microleakage levels of nanohybrid composite resin using eighth-generation ethanol and isopropanol solvent bonding materials under moist and dry conditions (in #8230;"</a>
<b>Author</b>	IRFAN DWIANDHONO, S.KG, Sp.K.G, M.Biomed