## PHYTOPLANKTON COMMUNITY IN VANNAMEI SHRIMP (Litopenaeus vannamei) CULTIVATION IN INTENSIVE PONDS

Publons ID	(not set)
Wos ID	WOS:000936409300014
Doi	
I ItIA	PHYTOPLANKTON COMMUNITY IN VANNAMEI SHRIMP (Litopenaeus vannamei) CULTIVATION IN INTENSIVE PONDS
First Author	
Last Author	
Authors	Palupi, M; Fitriadi, R; Kasprijo; Malfa, Y;
Publish Date	2023
Journal Name	IRAQI JOURNAL OF AGRICULTURAL SCIENCES
Citation	
Abstract	Optimal growth of shrimp and harvest in a pond is strongly influenced by water quality because this is a common thing but it cannot be denied that it is also an important thing. The combination of physicochemical parameters and biological indicators has become a classic way of studying water quality. Phytoplankton is a bioindicator that affects the productivity of vannamei shrimp in ponds. Currently, shrimp farming activities are intensive. This study aimed to analyze the diversity and abundance of phytoplankton and water quality in vannamei shrimp ponds. The research objective was achieved by calculating the abundance, diversity index, evenness index, and plankton dominance index in ponds. The results of the study were that the phytoplankton of Chlorophyta with the highest total abundance in each pond was 18,400x103 ind/l, 14,900x103 ind/l, 16,620x103 ind/l, and 6.410x103 ind/l. The index of phytoplankton diversity at each location was 0.74, 0.73, 0.87, 0.74. Phytoplankton uniformity index at each location was 0.04, 0.04, 0.05, 0.05. Phytoplankton dominance index at each location was 0.60, 0.38, 0.56, 0.07. The abundance of phytoplankton is an obstacle to the success of vannamei shrimp aquaculture production.
Publish Type	Journal
Publish Year	2023
Page Begin	134
Page End	146
Issn	0075-0530
Eissn	2410-0862
Url	https://www.webofscience.com/wos/woscc/full-record/WOS:000936409300014
Author	REN FITRIADI, S.S.T, M.P